

Pittsburg County, Oklahoma  
**COUNTY PURCHASING OFFICE**  
 Pittsburg County Court House  
 McAlester, Oklahoma  
 Phone: (918) 423-4934

**INVITATION TO BID**

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE  
 SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED	<b>24-May-21</b>
PAGE 1 OF	

BID NUMBER <b>BID # 18</b>	BID CLOSING DATE AND HOUR <b>June 4, 2021 @ 5:00PM</b>	REQUIRED DELIVERY DATE Days after award of Purchase Order
-------------------------------	---	--

TERMS:	DATE OF DELIVERY:
--------	-------------------

Item	Quantity	Unit of issue	DESCRIPTION	Unit Price	Total
			<p><b>Board of County Commissioners wish to advertise for the following for Ashland Volunteer Fire Department:</b></p> <p><b>One (1) set of extrication tools</b></p> <p><b>See Specifications Attached</b></p> <p><b><u>PLEASE MARK CLEARLY ON FRONT OF SHIPPING ENVELOPE BID &amp; BID NUMBER</u></b></p>		

**TERMS AND CONDITIONS**

1. Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until delivered.

(DATE)

6.1291E+19

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day  
of \_\_\_\_\_ 20 \_\_\_\_\_ (seal)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_ Signed by: \_\_\_\_\_ Title: \_\_\_\_\_  
(MANUAL SIGNATURE OF UNDERSIGNED)

\_\_\_\_\_  
NOTARY PUBLIC (CLERK OR JUDGE) Address: \_\_\_\_\_ Phone: \_\_\_\_\_  
City: \_\_\_\_\_ State \_\_\_\_\_  
Zip \_\_\_\_\_

NOTE: Other terms and conditions can be added at the discretion of the county officers.

RESOLUTION  
21-265  
To  
Advertise

The Board of County Commissioners, Pittsburg County, met in regular session on Monday May 24, 2021.

WHEREAS, the Board of County Commissioners wish to advertise for the following for Ashland Volunteer Fire Department:

One (1) set of extrication tools

A bid package containing complete specifications and an "Invitation to Bid" are available at the Pittsburg County Clerk's Office, 115 E. Carl Albert Pkwy, Room 103, McAlester, Oklahoma, 74501 or online at [pittsburg.okcounties.org](http://pittsburg.okcounties.org).

THEREFORE, each competitive bid submitted to the County must be accompanied with an affidavit for filing with the competitive bid form, as required by 19 O.S. § 421.1(C).

Sealed bids will be received and filed with the Pittsburg County Clerk until Friday, June 4, 2021 at 5:00 p.m. All bids received after 5:00 p.m. on Friday, June 4, 2021 WILL NOT BE OPENED. Bids will be opened on Monday, June 7, 2021 at 10:00 a.m. in the Board of County Commissioners Conference Room, 115 E. Carl Albert Pkwy, McAlester, Oklahoma. The Board of County Commissioners, Pittsburg County, reserves the right to reject any and all bids and re-advertise.

BOARD OF COUNTY COMMISSIONERS  
PITTSBURG COUNTY, OKLAHOMA

ATTEST:

CHAIRMAN




VICE-CHAIRMAN



MEMBER




COUNTY CLERK





## Ashland Fire Department

The Ashland fire dept. is requesting that the Pittsburg County Commissioners open bids for a set of Electric extrication tools for the purpose of better serving the citizens of the Ashland Area and the county. The specifications are on the provided documents in this bid packet. Thank you for your time on this matter.

A large, stylized handwritten signature in black ink, appearing to read 'Kenny Weiber', is written over the printed name below it.

Chief Kenny Weiber

**BID SPECIFICATION BATTERY POWERED HYDRAULIC HEAVY-DUTY SPREADER  
32 INCH.**

---

**Compulsory Specifications:**

The following specifications list the minimum requirements for a battery-operated hydraulic rescue tool. Each bidder shall complete all bidder complies/bidder does not comply check boxes with an "X". Any bid failing to do so will be considered incomplete and will be rejected immediately.

Any exceptions, deviations, or differences between bidder's rescue tool system/rescue tools and the following specifications shall be noted and a complete explanation shall be provided with bid. Bidder complies shall mean that the product being offered by bidder meets or exceeds the specifications. Each bid shall be provided with tool specifications and/or literature on the rescue tool system being offered.

The following battery-operated hydraulic rescue tool shall be utilized in emergency situations; therefore, any rescue tools bid must meet the minimum requirements to be considered. All information requested is required to be provided. Any information requested that is not provided will render the bid incomplete and will result in the immediate rejection of the bid.

Should factory service or repair be required for any of the following equipment, bidder shall show proof that replacement equipment can be provided within 24 hours. Bid price shall include full training for individuals in the proper use and care of hydraulic rescue tools. Training shall be performed at a time and location convenient for the purchaser.

1. The battery-operated hydraulic rescue tool shall not need to be connected to an external hydraulic source, generation of the required hydraulic pressure shall take place within the body of the tool by either a quick exchange lithium-ion battery or an external power supply.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
  
2. The battery-operated hydraulic rescue tool shall be equipped with LED lights to facilitate work under poor lighting conditions.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
  
3. Spreader arms shall be symmetrically opened/closed by mechanical joints for the purpose of spreading.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
  
4. The body of the tool shall be made of aviation grade anti-corrosive light aluminium alloy with an anodized surface finish for its lightweight, strength and long life.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
  
5. The maximum spread distance shall be 32 inches (812.8mm) measured at the end of the spread tips.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
  
6. The maximum spread force shall be 50 692 lbs (225kn)  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
  
7. The maximum pull force shall be 23 041 lbs (102kn)  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**

8. The spreader arms shall be manufactured from aviation grade aluminum. The spreader shall have automotive/grabberjaw tips that will perform all spreading and crushing techniques commonly used in extrication without the need to change tips. Tips shall be constructed of hardened tool steel and shall not be field removable. Each spreader arm shall have a hole for attaching pulling attachments on the tips.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
9. The tool shall feature a D shape wrap around handle for left- and right-hand operations enabling a 270° rotation on the tool.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
10. The control mechanism shall feature a star-grip control for ease of operation by allowing 360 ° operations in any position. The control mechanism shall allow for thumb control option as well as a fully enclosed hand operation. The control mechanism shall allow for a turn radius of only 27°  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
11. The opening and closing positions shall be clearly marked.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
12. The tool shall have a “dead man” actuator, whereby the unit stop functioning when the control handle is released.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
13. The tool shall be equipped with a dual pilot check valve to prevent accidental movement of the blades in the event of power loss.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
14. The hydraulic system shall use ISO 22 mineral based hydraulic oil.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
15. The tool dimensions including the battery shall not exceed: Length 38.9 inches (988.1mm) / Width 13.6 inches (345.4mm) / Height 8.9 inches (226mm)  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
16. The tool shall not weigh more than 55.9 lbs (25.4kg) including battery and ready for use.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
17. The minimum operating pressure of the tool shall be 10 500 psi (724 bar)  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
18. The tool shall be protected from being over pressurized.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
19. The tool shall be able to tolerate an ambient temperature range of -4°F (-20°C) up to +104°F (+40°C).  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
20. The noise emissions at nominal voltage measured at maximum load generated shall not exceed 74 dB(A).  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

21. The tool must be NFPA 1936; 2015 Edition certified  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
22. The tool shall be powered by a non-proprietary battery with the following specifications: Minimum rated voltage of 28V, minimum rated input power of 5aH.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
23. The tool shall be capable of being operated by 1 or 2 batteries. Batteries should be capable of being exchanged whilst operating the tool. Battery's shall be side mounted.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
24. The hydraulic pump shall be driven by a DC motor.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
25. The tool shall have a minimum IP rating of IP44.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
26. Each battery-operated hydraulic rescue spreader shall be offered with the following accessories: 2 x Battery chargers 4 x Battery's  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
27. Each battery-operated hydraulic rescue tool electrical components shall carry a minimum of 3 years warranty. All other components shall carry a lifetime warranty as stipulated in the manufacturer's warranty terms and conditions.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
28. Each battery charger and battery shall carry the OEM warranty as per manufacturers terms and conditions.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
29. Each bidder shall provide a separate offer for yearly maintenance on the battery-operated hydraulic rescue tool.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

## BID SPECIFICATION BATTERY POWERED HYDRAULIC CUTTER 7 INCH

---

### Compulsory Specifications:

The following specifications list the minimum requirements for a battery-operated hydraulic rescue tool. Each bidder shall complete all bidder complies/bidder does not comply check boxes with an "X". Any bid failing to do so will be considered incomplete and will be rejected immediately.

Any exceptions, deviations, or differences between bidder's rescue tool system/rescue tools and the following specifications shall be noted and a complete explanation shall be provided with bid. Bidder complies shall mean that the product being offered by bidder meets or exceeds the specifications. Each bid shall be provided with tool specifications and/or literature on the rescue tool system being offered.

The following battery-operated hydraulic rescue tool shall be utilized in emergency situations; therefore, any rescue tools bid must meet the minimum requirements to be considered. All information requested is required to be provided. Any information requested that is not provided will render the bid incomplete and will result in the immediate rejection of the bid.

Should factory service or repair be required for any of the following equipment, bidder shall show proof that replacement equipment can be provided within 24 hours. Bid price shall include full training for individuals in the proper use and care of hydraulic rescue tools. Training shall be performed at a time and location convenient for the purchaser.

1. The battery-operated hydraulic rescue tool shall not need to be connected to an external hydraulic source, generation of the required hydraulic pressure shall take place within the body of the tool by either a quick exchange lithium-ion battery or an external power supply.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
2. The battery-operated hydraulic rescue tool shall be equipped with LED lights to facilitate work under poor lighting conditions.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
3. Blade arms shall be symmetrically opened/closed by mechanical joints for the purpose of cutting.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
4. The body of the tool shall be made of aviation grade anti-corrosive light aluminium alloy with an anodized surface finish for its lightweight, strength and long life.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
5. The minimum cutter opening shall be 7 inches (177.8 mm) measured at the end of the blade tips.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
6. The cutter will be of unique blade geometry blade design for maximum cutting performance.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**
7. The blades shall be made of high strength tool steel heat-treated blades. Blades shall be a minimum 19mm thick (each blade) and be re-grindable (Forged or cast blades will not be unaccepted.). The blades of the tool should be attached to the piston rod via removable links for ease of repair, efficient power transmission and smooth operation. The pivot points of the blades shall have a rubber boot hand guard for safety purposes.  
**BIDDER COMPLIES**        **BIDDER DOES NOT COMPLY**



8. The tool shall feature a 360° handle to enable the user to have a 360° rotation on the tool.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
9. The control mechanism shall feature a star-grip control for ease of operation by allowing 360 ° operations in any position. The control mechanism shall allow for thumb control option as well as a fully enclosed hand operation. The control mechanism shall allow for a turn radius of only 27°  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
10. The opening and closing positions shall be clearly marked.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
11. The tool shall have a “dead man” actuator, whereby the unit stop functioning when the control handle is released.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
12. The tool shall be equipped with a dual pilot check valve to prevent accidental movement of the blades in the event of power loss.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
13. The hydraulic system shall use ISO 22 mineral based hydraulic oil.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
14. The tool dimensions including the battery shall not exceed: Length 32.5 inches (825.5mm) / Width 11.38 inches (289mm) / Height 9.5 inches (241.3mm)  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
15. The tool shall not weigh more than 51.6 lbs (23.4kg) including battery and ready for use.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
16. The minimum operating pressure of the tool shall be 10 500 psi (724 bar)  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
17. The tool shall be protected from being over pressurized.  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
18. The tool shall be able to tolerate an ambient temperature range of -4°F (-20°C) up to +104°F (+40°C).  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
19. The noise emissions at nominal voltage measured at maximum load generated shall not exceed 74 dB(A).  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
20. The tool must be NFPA 1936; 2015 Edition certified and shall be labelled as such bearing the mark of the testing agency. Cutting classification A8, B9, C9, D9, E9  
**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**
21. The tool shall be powered by a non-proprietary battery with the following specifications: Minimum rated

voltage of 28V, minimum rated input power of 5aH.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

22. The tool shall be capable of being operated by 1 or 2 batteries. Batteries should be capable of being exchanged whilst operating the tool. Battery's shall be side mounted.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

23. The hydraulic pump shall be driven by a DC motor.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

24. The tool shall have a minimum IP rating of IP44.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

25. Each battery-operated hydraulic rescue cutter shall be offered with the following accessories: 2 x Battery chargers 4 x Battery's

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

26. Each battery-operated hydraulic rescue tool electrical components shall carry a minimum of 3 years warranty. All other components shall carry a lifetime warranty as stipulated in the manufacturer's warranty terms and conditions.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

27. Each battery charger and battery shall carry the OEM warranty as per manufacturers terms and conditions.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**

28. Each bidder shall provide a separate offer for yearly maintenance on the battery-operated hydraulic rescue tool.

**BIDDER COMPLIES**  **BIDDER DOES NOT COMPLY**