### Pittsburg County, Oklahoma COUNTY PURCHASING OFFICE

Pittsburg County Court House McAlester, Oklahoma Phone: (918) 423-4934

### **INVITATION TO BID**

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.  Notarized Affidavit completions and signature required on reverse side.					DATE ISSUED 11-Feb-13 PAGE 1 OF	
BID NUMBER Bid # 16			BID CLOSING DATE AND HOUR February 25, 2013 @ 10:00AM	REQUIRED DELIVERY DATE  Days after award of Purchase Order		
						TERMS:
Item	Quantity	Unit of issue	DESCRIPTION	Unit Price	Total	
Rem	Quantity	issue	Board of County Commissioners Pittsburg County wishes to re-advertise for the following for the Tannehill Volunteer Fire Department:  Construction of a 60' X 70' Fire Station Building See specifications attached	Unit Price	lotal	

#### TERMS AND CONDITIONS

- Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
- 2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
- 3. Unit prices will be guaranteed correct by the bidder.
- 4. Firm prices will be F.O.B. destination.
- 5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
- 6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
- 7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
- 8. Bids will be firm until completion

(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _	day	
of2011	(seal)	
	Firm:	2
My commission expires	Signed by:	Title:
	(MANUAL SIGNATURE	OF UNDERSIGNED)
	Address:	Phone:
NOTARY PUBLIC (CLERK OR JUDGE)	City:	State
	Oity	State
		Zip

# RESOLUTION To Re-Advertise

The Board of County Commissioners, Pittsburg County, met in regular session on Monday, February 11, 2013.

WHEREAS, the Board of County Commissioners, Pittsburg County, wishes to readvertise for the following for the Tannehill Volunteer Fire Department:

Construction of a 60' x 70' Fire Station building

A bid package containing complete specifications and an "Invitation to Bid" are available at the Pittsburg County Clerk's Office, 115 East Carl Albert Parkway, Room 103, McAlester, Oklahoma 74501 or online at pittsburg.okcounties.org.

THEREFORE, each competitive bid submitted to the County must be accompanied with an affidavit for filing with the competitive bid form, as required by 61 O.S. \$ 138.

Sealed bids will be received and filed with the Pittsburg County Clerk and opened on February 25, 2013 at 10:00 a.m. in the Board of County Commissioners Conference Room, Pittsburg County Courthouse, 115 East Carl Albert Parkway, McAlester, Oklahoma. Contract will be awarded to the lowest or best bidder. The Board of County Commissioners reserves the right to reject any and all bids and re-advertise.

BOARD OF COUNTY COMMISSIOENRS PITTSBURG COUNTY, OKLAHOMA

CHAIRMAN

ICE-CHAIRMAN

MEMBER

ATTEST:

COUNTY CLERK

## SPEC SHEET FOR TANNEHILL BUILDING AT SCIPIO REVISED

The following are the specs for the building Tannehill Fire Dept. wishes to build:

60' X 70' Pole barn type building with 14' sidewall height

• 4 each 12' X12' insulated steel overhead doors, all on one side. 70' Direction

1 each 3'0" X 6'8" walking steel door

6" concrete reinforced slab 60'X70'

Building is to be insulated with 2" commercial grade insulation

Post will be treated 6 X 6 10 ft. OC

26 Gauge colored metal

Metal will attached with screws- No nails

Top plate will be double 2 X 12

• Trusses will be 2 X 6, 5' OC maximum, 4/12 pitch, tied together with 2 X 4 stringers at the bottom

Girts will be 2 X 6

Purlins will be 2 X 4

**NO Skylights** 

Building will be pre-engineered with drawings

Rough IN plumbing and electrical will be provided prior to concrete work by Tannehill Fire Dept.

Note: This is a change from the original specs that were sent out