Pittsburg County, Oklahoma COUNTY PURCHASING OFFICE

Pittsburg County Court House McAlester, Oklahoma Phone: (918) 423-4934

INVITATION TO BID

			ONDITIONS ON REVERSE OF THIS BID.	DATE ISSUE	D 1-Dec-1 4
			e required on reverse side.	PAGE 1 OF	1 500 1
BID NUME	BER Bid # 10		BID CLOSING DATE AND HOUR December 15, 2014 @ 10:00AM		DELIVERY DATE ays after award of Purchase Orde
TERMS:			12000	DATE OF DE	·
Item	Quantity	Unit of issue	DESCRIPTION	Unit Price	Total
			Please do not bid on any item that is not on the specifications furnished to you. If you would like to bid on an item that you did not receive specifications for please call (918) 423-4934. Please use the enclosed bid sheet forms to place your bid on. Failure to record your bid on the furnished bid sheets may result in the disqualification of your bid. Please return your bid in the enclosed envelope. Please only one bid per envelope. SEE SPECIFICATION ATTACHED.		

TERMS AND CONDITIONS

- Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
- 2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
- 3. Unit prices will be guaranteed correct by the bidder.
- 4. Firm prices will be F.O.B. destination.
- 5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
- 6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
- 7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
- 8. Bids will be firm until June 30, 2015.

(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

scribed and sworn before this20	day (seal)	
	(304)	
	Firm:	
My commission expires	Signed by:	Title:
	(MANUAL SIGNATU	JRE OF UNDERSIGNED)
	Address:	Phone:
NOTARY PUBLIC (CLERK OR JUDGE)		
	City:	State
		7in

NOTE: Other terms and conditions can be added at the discretion of the county officers.

RESOLUTION #78 To Advertise for SIX MONTH BIDS

The Board of County Commissioners, Pittsburg County, met in regular session on Monday, December 1, 2014.

WHEREAS, Pittsburg County wishes to advertise for the following materials:

CRUSHED STONE

ROAD OILS

ASPHALT PRODUCTS

CONCRETE PRODUCTS

PETROLEUM PRODUCTS

SPIRAL PIPE & ARCH PIPE

PLASTIC PIPE

NEW & USED STEEL

GRADER BLADES

TIRES (NEW-MAJOR BRANDS ONLY, RECAPS - CORE INCLUDED)

TIRE SERVICES

LAYDOWN MACHINE WITH CREW

HAULING

PET FOOD (INCLUDING PUPPY, DOG, CAT & KITTEN)

MICROCHIPS FOR PET IDENTIFICATION SYSTEM

A bid package containing complete specifications and an "Invitation to Bid" with an affidavit of non-collusion may be picked up at the County Clerk's Office, Pittsburg County Courthouse, 115 E. Carl Albert Pkwy, Room 103, McAlester, Oklahoma, or online at pittsburg.okcounties.org. All bids must state price of the aforesaid materials and said materials must be delivered in quantities ordered when and as needed by the Board of County Commissioners, within a six month period, beginning January 1, 2015 and ending June 30, 2015. Each competitive bid submitted to the county must be accompanied with an affidavit for filing with the competitive bid form, as required by 61 O.S. § 138. No bid will be considered unless submitted on this form with affidavit completed and notarized. Place your bids in an envelope and mark it "Six Month Bids".

Sealed bids will be received and filed with the County Clerk and opened on Monday, December 15, 2014 at 10:00 a.m. in the Board of County Commissioners Conference Room, Pittsburg County Courthouse, 115 E. Carl Albert Pkwy, McAlester, Oklahoma. Contract will be awarded to the lowest or best bidder. The Board of County Commissioners reserves the right to reject any and all bids and re-advertise.

BOARD OF COUNTY COMMISSIONERS PITTSBURG COUNTY, OKLAHOMA

HAIDMAN

VICE-CHAIRMAN

ATTEST:

COUNTY CLERK

CRUSHED STONE

BID PRICE FOR PITTSBURG COUNTY VENDOR:

MUST MEET STATE S	SPECIFICATIONS 1
-------------------	------------------

CRUSHED STONE BID PRICE PER TON 3/8" #2 COVER CHIPS 3/8" NON SPEC HIPS 1/2" CHIPS 5/8 #3 COVER CHIPS 5/8" NON SPEC CHIPS 3/4" COVER CHIPS 1 1/2" MILL RUN #10 1 1/2" MILL RUN 1 1/2" MILL RUN A 1 1/2" ODOT BASE TYPE A #4 SCREENINGS 4" GRIZZLY CRUSHER RUN 1" CRUSHER RUN 1 1/2" CRUSHER RUN 2 1/2" CRUSHER RUN NON-SPEC SHOVEL LOADED RIP-RAP 12" SPEC RIP-RAP **DRY 8" SURGE**

IF ITEMS DO NOT MEET SPECIFICATIONS

THEY WILL BE REJECTED

ROAD OILS

PRODUCT	PRICE PER GALLON
SS-1	
CRS-2	
MC-30	
MC-3000	
AEP	

PRODUCTS MUST MEET STATE SPECIFICATIONS.

IF ITEM DOES NOT MEET THE SPECIFICATIONS, IT WILL BE REJECTED.

ASPHALT

BID PRICE FOR PITTSBURG COUNTY

VENDO	OR:	
MUST	MEET STATE SPECIF	FICATIONS
PATCHING MATERIALS		PRICE
HM/HL TYPE B HM/HL TYPE C HM/CL HIGH PERFORMANCE		
HOT LAY	THE MATERIAL SHAL SPECS FOR A TYPE O MIX. THIS WILL CONT CONTENT AND GRAD	C OR TYPE B FROL THE OIL
COLD LAY	THE MATERIAL SHAL SPECS FOR A HC2, H THIS WILL CONTROL AND OIL CONTENT, L THAT HAVE SET UP A	IC3, OR HC4 THE GRADATION UMPS OF MATERIAL AND ARE NOT

IF ITEM DOES NOT MEET THE SPECIFICATIONS, IT WILL BE REJECTED.

CONCRETE

CONRETE PRODUCTS	TYPE A	TYPE AA
3000 PSI	<u></u>	
3500 PSI		-
4000 PSI		
PRICE PER MILE	¥	

PETROLEUM PRODUCTS

BID PRICE FOR PITTSBURG COUNTY

VENDOR: SIZE OF **PRODUCT SPECIFICATION BID PRICE** CONTAINER ENGINE OIL, DIESEL OIL **MAJOR BRAND (GAS ENGINES ONLY) ENGINE OIL (DIESEL)** 1 GAL CAN HD-II, SAE 30 SF/CC, CD 1 QT/12 CASE HD-II, SAE 30 SF/CC, CD 55 GAL DRUM HD-II, SAE 30 SF/CC, CD_____ J. D PLUS 50 SUPREME 1 GAL CAN DELO 400 (MULTI-GRADE) 1 GAL CAN SAE 40 SAE 30 15W40 **BULK PER GALLON** SAE 40 SAE 30 15W40 API SERV-CE/Sg 1 QT/12 CASE 15W40 _____ **BULK PER GALLON** OIL EQUIVALENT TO PENZOIL 1 QT/12 CASE SAE30_____ ENGINE OIL, MULTI GRADE **ENGINE OIL (GASOLINE)** 1 QT/12 CASE SAE 30 55 GAL DRUM SE, SF/CC 1 QT/12 CASE 15W40 1 GAL CAN 15W40 1 QT/12 CASE 5W20 1 QT/12 CASE 5W30 QUAKER STATE 10W30__ 1 QT/12 CASE (REQUIRED TO MEET WARRANTY SPECIFICATIONS) QUAKER STATE 1 QT/12 CASE 5W30 (REQUIRED TO MEET WARRANTY SPECIFICATIONS) SYNTHETIC BLEND GASOLINE ENGINE OIL 1 QT/12 CASE 5W20 SYNTHETIC BLEND GASOLINE ENGINE OIL 1 QT/12 CASE 5W30 **CLEANING SOLVENT** 55 GAL DRUM **NON-STAIN** LIFT OIL (TRUCK & EQ.) 55 GAL DRUM SERIES 3 SAE-10WT HYDRAULIC OILS ANTI WEAR TYPE R & O HYDRAULIC OIL 5 GAL CAN JD-303 _____ TRANS-DIFF HYD JD-303_____ HYDRAULIC OIL 55 GAL DRUM TRANS-DIFF-HYD JD-303 _____ HYDRAULIC OIL **BULK PER GALLON** TRANS-DIFF-HYD

PETROLEUM PRODUCTS

BID PRICE FOR PITTSBURG COUNTY

HYDRAULIC OIL TRANSMISSION (303)	5 GAL CAN	· 	_
SUPER HYDRO 32	55 GAL DRUM	10 WT	
JOHN DEERE HY- GUARD REQUIRED TO MEET WARRANTY SPECIFICATION	5 GAL CONTAINER IS)	-	_
TO4 SPEC OIL (CAT HYDRAULIC) (TRANSMISSION OIL)	1 GAL CAN 5 GAL CONTAINER 55 GAL DRUM	30 WT 30 WT 30 WT	_
TO4 SPEC OIL (CAT HYDRAULIC) DRIVE TRAIN OIL)	1 GAL CAN 5 GAL CONTAINER 55 GAL DRUM	50 WT 50 WT 50 WT	_
CAT HYDRAULIC OIL	1 GAL CAN 5 GAL CONTAINER 55 GAL DRUM	10 WT 10 WT 10 WT	
CG-4 ENGINE OIL	1 GAL CAN 5 GAL CONTAINER 55 GAL DRUM	15W40 15W40 15W40	_
AUTOMATIC TRANSMISSION FLUID,			
AUTO TRANS FLUID	1 QT/12 CASE 1 QT/12 CASE	DEX II, TYPE F	_
DRIVE TRAIN OIL	1 GAL CAN 5 GAL CONTAINER 55 GAL DRUM	30 WT 30 WT	

PRODUCT QUALITY AND IDENTIFICATION: ALL LUBRICATION PRODUCTS BID UNDER THESE SPECIFICATIONS MUST BE MANUFACTURED OR REFINED FROM VIRGIN CRUDE OIL. <u>RE-FINED PETROLEUM PRODUCT WILL</u> <u>NOT BE ACCEPTED</u>. ALL CONTAINERS MUST BE CLEARLY LABELED WITH BRAND NAME, THE SAE WEIGHTS, PRODUCT SPECIFICATIONS, PRODUCT SPECIFICATIONS, AND THE API CLASSIFICATION, WHERE APPLICABLE.

SUCCESSFUL BIDDER MUST KEEP BID ITEM IN STOCK. <u>PLEASE NO SUBSTITUTIONS ON BID ITEMS</u>. IF A SUBSTITUTION MUST BE MADE, THE PRICE MUST BE AGREED UPON BETWEEN THE RECEIVING OFFICER AND THE VENDOR BEFORE DELIVERY IS MADE

SPIRAL PIPE

BID PRICE FOR PITTSBURG COUNTY

VENDOR:		
SPIRAL PIPE - 16 GA. 2.66"	PRICE PER FOOT	
12"		
15"		
18"		
21"		
24"		
30"		
36"		
42"		
48"		
SPIRAL PIPE - 16 GA. 3.1"		
36"		
42"	·	
48"		
54"		
60"		
66"		
72"		
78"		
84"		
90"		
SPIRAL PIPE -14 GA. 2.6"	DDIOE DED COOT	
12"	PRICE PER FOOT	
15"		
18"		
21"		
24"		
30"		
36"		
42"		
48"		
54"		
60"		
UU ,		

SPIRAL PIPE - 14 GA. 3.1"

42" _.	
48"	
54"	
60"	
66"	
72"	
78"	
84"	
90"	
96"	
102"	
108"	
114"	

BID PRICE FOR PITTSBURG COUNTY

ARCH PIPE -16 GA. 2.6"	PRICE PER FOOT
15"	
18"	
21"	
24"	
30"	
36"	
42"	
ARCH PIPE - 14 GA. 2.6"	
15"	
18"	
21"	<u> </u>
24"	
30"	
36"	
42"	
48"	
ARCH PIPE 12 GA. 3.1"	
84"	
96"	
ARCH PIPE - 14 GA. 3.1"	
42"	
48"	
54"	
60"	
66"	
72"	
78"	

PLASTIC PIPE PRICE PER FOOT

	BLACK	<u>GREY</u>
12"		
15"		-
18"		
21"		
24"		
30"		
36"		
42"		
48"		
60"	·	<u></u>

NEW & USED STEEL

BID PRICE FOR PITTSBURG COUNTY

VENDOR:	
---------	--

		NEW	USED
STEEL BEAMS	LB		
HI-PILE	LB	-	<u></u>
HEAVY WALL PIPE PILING			
6" 7"	FT		, ,.
<i>'</i> 8"	FT FT	- 2	
9"	FT		
DECKING			
24 GAUGE	SQ. FT		
22 GAUGE	SQ. FT		
STRUCTURAL STEEL	LB		
SECONDARY STRUCTURAL STEEL	LB		
PLATE	LB	:	
GRADE 60 REBAR			
1/2"	FT		
5/8"	FT	A	
GUARD RAIL	FT		1======================================

GRADER BLADES

RADER BLADES 5/8" BOLT HOLE	
/2" X 6'	
/2" X 8'	
/8" X 6" X 7'	
/8" X 8" X 7' (HIGH CARBON)	
/4" X 8" X 7' (HIGH CARBON)	
/4" X 8" X 7' (NON CARBON)	
VITH 6" CENTERS	
GRADER BLADES 3/4" BOLT HOLE	
/2" X 6'	
/2" X8'	
/8" X 6" X 7'	
/8" X 8" X 7' (HIGH CARBON)	
/4" X 8" X 7' (HIGH CARBON)	
/4" X 8" X 7' (NON CARBON)	

WITH 6" CENTERS

TIRES

SIZE	TREAD	LOAD RANGE OR PLY	DESCRIPTION	PRODUCT CODE	PRICE
ST205/75Rx15	HY	6-	SPECIAL TRAILER		
215/60RX16	A/S	4-B	RADIAL		-
215x85x16	A/P	8-D	RADIAL LT		
ST225/75x15	HY	8-D	SPECIAL TRAILER		
225/75Rx16	A/P	8-D	RADIAL LT		
225/60VRx16	A/S	4-	POLICE PURSUIT		
225/60Rx18	A/S	4-	POLICE PURSUIT		
LT225/75Rx17	A/P	10-E	LTSTEEL RADIAL		8
P235/75Rx15	A/S	4-B	STEEL RADIAL		2
LT235/75Rx15	HY	6-C	LT STEEL RADIAL		
LT235/75Rx15	M&S	6-C	LT STEEL RADIAL		:
LT235/75Rx15	A/T	10-E	LT STEEL RADIAL		-
235/85Rx16	HY	10-E	RADIAL LT		-
235/85Rx16	A/P	10-E	RADIAL LT		
235/85Rx16	M&S	10-E	RADIAL LT		
235/85Rx16	LUG	10-	MAX TRACTION RD	L	
235/40Rx18	A/S	4-	RADIAL		
245/55Rx18 245/75Rx16	A/P A/P	10- 10-E	RADIAL RADIAL LT	-	-
245/75Rx16 245/75Rx16	M&S	10-E	RADIAL LT	-	-
245/75Rx16	LUG	10-	MAX TRACTION RD		-
245/70Rx17	LUG	10-	MAX TRACTION RD		=======================================
245/75Rx17	A/P	10-	RADIAL		()
245/75Rx17	M&S	10-	RADIAL	<u> </u>	
245/75Rx17	LUG	10-	RADIAL LT		
265/75Rx16	A/P	10-E	RADIAL LT		
265/75Rx16	A/T	10-E	RADIAL LT	.====	
265/75Rx16	LUG	10-	MAX TRACTION RD	-	-
265/60Rx17 265/70Rx17	A/S A/T	4- 10-E	POLICE PURSUIT RADIAL LT		-
265/70Rx17	LUG	10-	MAX TRACTION RD	L	
265/65Rx18	A/P	10-	RADIAL		
275/65Rx18	A/P	10-	RADIAL	. ——	
285/75Rx16 285/70Rx17	LUG LUG	10- 10-	MAX TRACTION RD MAX TRACTION RD		3
215/75Rx17.5	HY	H-16	LPT RADIAL TBL		
215/75RX17.5 225/70Rx19.5	HY	12-G	RADIAL	-	-
225/70Rx19.5	M/S	12-G	RADIAL		
255/70Rx22.5	HY	H-16	LPT RADIAL TBL		-
285/75Rx24.5	HY	14-G	RADIAL		-
285/75Rx24.5 285/75Rx24.5	LUG	14-G 14-G	RADIAL	-	-
20011 011/124.0	200	1-7-0	NADIAL	-	÷

SIZE	TREAD	LOAD RANGE OR PLY	DESCRIPTION	PRODUCT CODE	PRICE
295/75Rx22.5	LUG	G-14	RADIAL TUBELESS		
25x10x12 25x100x12	A/T A/T	6-C	ATV ATV	0 =====================================	
9Rx22.5	HY	12-F	RADIAL TUBELESS	3—————————————————————————————————————	
10Rx22.5	HY	12-F	RADIAL	5 8	
10Rx22.5	LUG	12-F	RADIAL	ss	-
11Lx15	F-3	8-	INDUSTRIAL TBL	8	
11Lx16	F-3	10-	INDUSTRIAL TBL	K	
11x22.5	M&S	14-G	RADIAL	V 	•
11x22.5	HY	14-G	RADIAL	·	-
11R22.5	LUG		MAX TRACTION RD		
11x24.5	HY	14-G	RADIAL		
11x24.5	M&S	14-G	RADIAL		
11Rx24.5	HY	14-	STEERING		
12x16.5	NHS	8-	FRONT BACKHOE		
13.6x28	R1	4-	FARM TUBE TYPE		
14x17.5	NHS	8-	SUP TRAC DUPLEX		-
16.9x34	R1	6-	FARM TUBE TYPE		-
17.5L24	R4	8-	IND LUG TUBELESS		
17.5x25	G2	12-	GRADER LOADER		-
17.5x25	RL	12-	LOADER ROCKLUG TBL		·
17.5x25	LUG		RDL TBL LUG		S
20.5x25	L2	•	RADIAL		-
18.4x30	R-1	6-	FARM TUBE TYPE		-
18.4x34	R1	6-	FARM TUBE TYPE		
18.4x38	R1	8-	FARM TUBE TYPE	***	-
19.5x24	R4	10-	IND LUG TUBELESS)	
20.8x38	R1	8-	FARM TUBE TYPE		-
750x16	TRIRIB	6-	FARM TUBE TYPE	-	
900x20	HW		TUBE TYPE		-
900x20	LUG		TUBE TYPE		8=
900x20	HY	12-F	RADIAL		8
900x20	M&S	12-F	RADIAL	-	-
900x20	LUG		MAX TRACTION RD	L)
950Rx16.5	A/P	8-D	STEEL RADIAL		
1000x16	TRIRIB	8-	FARM TUBELESS	-)
1000x20	HY	14-G	RADIAL TUBE TYPE		Y
1000x20	M&S	14-G	RADIAL TUBE TYPE):
1100x16	TRIRIB	8-	FARM TUBELESS		

SIZE	TREAD	LOAD RANGE OR PLY	DESCRIPTION	PRODUCT CODE	PRICE
1400x24	G-2	12-	TBL PREMIUM 181 LBS		-
1400x24	G-2	12-	TBL ECONOMY ROAD 137 LBS	-	-
1400x24	G-2		RADIAL TUBELESS		

* BID PREMIUM TIRES

*MAJOR BRAND TIRES

	RECAPPED TIRES WITH CORE
11Rx22.5	
11Rx24.5	
1400x24	

TIRE SERVICE

TIRE SIZES	TIRE MOUNTS	TIRE CHANGES	WHEEL BALANCING	FLAT REPAIR
PASS & LT 14"-16"				
PASS & LT 17"-20"				
TRUCK TIRE 20-24.5				
SPLIT RIM 20" OR SMALLER				
GRADER TIRES 1400x24				
LOADER TIRES 17.5x25				
FARM & BACKHOE TIRES:	ES:			
11Lx15/11Lx16				
12x16.5 BOBCAT OR				
BACKHOE				
14x17.5 BACKHOE				
24" UP TO 17.5Lx24"				
19.5Lx24				
28" UP TO 13.6x28				
ABOVE 13.6x28				
34" ALL SIZES				
38" ALL SIZES				

SERVICE CALLS
BASE CHARGE
AFTER HOURS
PER MILE
DELAY CHARGE

LAYDOWN MACHINE

LAYDOWM MACHINE WITH CREW INCLUDING H	IAULING SERVICES
SHOULD BE ON A "PER TON" BASIS	

LAYDOWN MACHINE WITH CREW EXCLUDING HAULING SERVICES
SHOULD BE ON A "PER TON" BASIS

HAULING ROAD MATERIALS

BIDS WILL BE FOR HAULING OF ROAD MATERIALS BY 10 WHEELER, TRI-AXLE AND 18 WHEELER LOADS

	10 WHEELER	TRI-AXLE	18 WHEELER
HOURLY RATE			
PER LOAD RATE			-
1 TO 50 MILES			
51 TO 60 MILES	3		
61 TO 70 MILES	- 8		
71 TO 80 MILES	-	-	
81 TO 90 MILES			
91 TO 100 MILES			

DRY DOG FEED SPECIFICATIONS

CRUDE PROTEIN:	26% MINIMUM
CRUDE FAT:	14% MINIMUM
CRUDE FIBER:	3% MINIMUM
MOISTURE:	10% MAXIMUM
ASH:	5.5% MAXIMUM
CALCIUM:	1.2% MAXIMUM,
	1.0%MINIMUM
PHOSPHORUS:	1.0% MAXIMUM
-	0.8% MINIMUM
ZINC:	150MG/KG MINIMUM
SELENIUM:	0.4 MG/KG MINIMUM
VITAMIN E:	150 IU/kg MINIMUM
Price/lb. =	\$

DRY PUPPY FOOD SPECIFICATIONS

CRUDE PROTEIN: 26% MINIMUM

CRUDE FAT: 14% MINIMUM

CRUDE FIBER: 3% MAXIMUM

MOISTURE: 10% MAXIMUM

ASH: 5.5% MAXIMUM

CALCIUM: 1.2% MAXIMUM

1.0% MINIMUM

PHOSPHORUS: 1.2% MAXIMUM

1.0% MINIMUM

ZINC: 200 MG/KG MINIMUM

SELENIUM: 0.4 MG/KG MINIMUM

VITAMIN E: 150 IU/kg MINIMUM

Price/lb. = \$_____

DRY CAT FOOD SPECIFICATIONS

CRUDE PROTEIN:	32% MINIMUM
CRUDE FAT:	21% MINIMUM
CRUDE FIBER:	3.5% MAXIMUM
MOISTURE:	10% MAXIMUM
ASH:	6% MAXIMUM
CALCIUM:	1.2% MAXIMUM 1.0% MINIMUM
PHOSPHORUS:	1.2% MAXIMUM 1.0% MINIMUM
ZINC:	200 MG/KG MINIMUM
SELENIUM:	0.4 MG/KG MINIMUM
VITAMIN E:	150 IU/kg MINIMUM
Price/lb. = \$	

DRY KITTEN FOOD SPECIFICATIONS

CRUDE PROTEIN:	34% MINIMUM
CRUDE FAT:	22% MINIMUM
CRUDE FIBER:	3% MAXIMUM
MOISTURE:	10% MAXIMUM
ASH:	7% MAXIMUM
CALCIUM:	1.2% MAXIMUM 1.0% MINIMUM
PHOSPHORUS:	1.2% MAXIMUM 0.8% MINIMUM
ZINC:	200 MG/KG MINIMUM
SELENIUM:	0.3 MG/KG MINIMUM
VITAMIN E:	100 IU/kg MINIMUM
VITAMIN A:	10,000 IU/kg MINIMUN
TOURINE:	0.125 MINIMUM
Price/lb. =	\$

MICROCHIPS FOR PET INDENTIFICATION SYSTEM

DESCRIPTION	PRICE PER UNIT
9 DIGIT#	
10 DIGIT #	
15 DIGIT #	

PLEASE BID ON THE TYPE OF MICROCHIP THAT YOUR COMPANY CARRIES