

Pittsburg County, Oklahoma  
**COUNTY PURCHASING OFFICE**  
 Pittsburg County Court House  
 McAlester, Oklahoma  
 Phone: (918) 423-4934

**INVITATION TO BID**

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE  
 SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED	<b>23-Dec-24</b>
PAGE 1 OF	

BID NUMBER <b>BID # 10</b>	BID CLOSING DATE AND HOUR <b>January 10th, 2025 @ 4:00 PM</b>	REQUIRED DELIVERY DATE Days after award of Purchase Order
-------------------------------	--	--

TERMS:	DATE OF DELIVERY:
--------	-------------------

Item	Quantity	Unit of issue	DESCRIPTION	Unit Price	Total
			<p><b>Pittsburg County wishes to re-advertise for the following for Ashland Volunteer Fire Department:</b></p> <p style="text-align: center;"><b>One (1), 300 Gallon Skid Unit</b></p> <p><b>SEE SPECIFICATIONS ATTACHED</b></p> <p><b><u>IF BID IS NOT RETURNED IN THE FEDEX, UPS OR USPS SHIPPING ENVELOPE, PLEASE MARK ON THE OUTSIDE OF THE ENVELOPE "SEALED BID" &amp; BID NUMBER</u></b></p>		

**TERMS AND CONDITIONS**

1. Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until delivered.

(DATE)

6.1291E+19

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this \_\_\_\_\_ day  
of \_\_\_\_\_ 20 \_\_\_\_\_ (seal)

Firm: \_\_\_\_\_

My commission expires \_\_\_\_\_ Signed by: \_\_\_\_\_ Title: \_\_\_\_\_

(MANUAL SIGNATURE OF UNDERSIGNED)

\_\_\_\_\_  
Address: \_\_\_\_\_ Phone: \_\_\_\_\_

NOTARY PUBLIC (CLERK OR JUDGE)

City: \_\_\_\_\_ State \_\_\_\_\_

Zip \_\_\_\_\_

NOTE: Other terms and conditions can be added at the discretion of the county officers.

RESOLUTION

25-167

To Advertise

The Board of County Commissioners, Pittsburg County, met in regular session on Monday, December 23, 2024.

WHEREAS, Pittsburg County wishes to advertise for the following for Ashland Volunteer Fire Department:

One (1), 300 Gallon Skid Unit

A bid package containing complete specifications and an "Invitation to Bid" are available at the Pittsburg County Clerk's Office, 115 E. Carl Albert Pkwy, Room 103, McAlester, Oklahoma 74501 or online at [pittsburg.okcounties.org](http://pittsburg.okcounties.org)

THEREFORE, each competitive bid submitted to the County must be accompanied with an affidavit for filing with the competitive bid form, as required by Oklahoma Statute, Title 19 O.S. § 1501.

Sealed bids will be received and filed with the Pittsburg County Clerk until Friday, January 10, 2025 at 4:00 p.m. All bids received after 4:00 p.m. on Friday, January 10, 2025 WILL NOT BE OPENED. Bids will be opened on Monday, January 13, 2025 at 10:00 a.m. in the Board of County Commissioners Conference Room, 115 E. Carl Albert Pkwy, McAlester, Oklahoma. The Board of County Commissioners, Pittsburg County, reserves the right to reject any and all bids and re-advertise.

BOARD OF COUNTY COMMISSIONERS  
PITTSBURG COUNTY, OKLAHOMA

ATTEST:


CHAIRMAN




VICE-CHAIRMAN



MEMBER



COUNTY CLERK





**ASHLAND VOLUNTEER  
FIRE DEPARTMENT**

**300 GALLON SKID UNIT  
SPECIFICATIONS**

# Ashland Fire Department

## Truck build

### 300 Gallon Skid Unit Spec

#### Tank

300-gallon Polypropylene Standard tank features, 3" suction, 1" fill/recirculation, 1" drain, sight glass, 8"x12" fill tower, 3" overflow, 48" booster reel mounts, tank bolt down tabs, tank lifting lugs, 3/8" all welded baffles, 1/2" floor, top and side walls.

Poly Tank material and labor should have lifetime warranty

#### Pump

- Fuel Type Gasoline
- Flows ranging from 70 to 240 with 345 gpm max
- Engine size 18-hp
- Electric start with recoil backup
- Anodized aluminum alloy pump head and body
- Pump head and body coupled together with stainless steel band clamp for easy serviceability
- Bronze impeller and renewable wear rings
- Self-adjusting mechanical seal
- Exhaust gas venturi priming or hand prime
- 3.0" NPT / 4.0" grooved coupling suction connection; 2.5" NPT discharge
- Mounted on a raised poly base no more than 6" in height

#### Reel

1 Hannay 4038-17-18, or equivalent, 12 V electric rewind

1 Hannay 4024-17-18, or equivalent, 12 V electric rewind

#### Roller options

- Top roller

Specify location, size and number of reels needed per unit

Large reel on top of tank other to be mounted on rear driver side corner

### Hose options

- Size ¾" X 200' Rubber high pressure
- Size 1" X 100' Rubber booster

### Fittings

All fittings are to be stainless steel/brass

All valves are to be ¼ turn valves

- ¼ turn brass fire valves
- ¼ turn stainless steel ball valves

### Manifold

All manifolds are to be constructed of stainless steel

- Horizontal

### Fuel Tank

- Aluminum

### Additional whip line options

- Dual front of tank (Must have two separate lines plumbed to the front)
  - With front mount valves plumbed to the corner of the bed

### Nozzle options

Need 3 nozzles with specs below

- 5-40 GPM
- 1" Size
- Viper SGMOP, or equivalent with pistol grip

Need 1 long barrel nozzle to attach to ¾" hose

Power for the unit will run from the truck battery

## Add-ons

- Toolboxes Poly constructed
  - Two 18" X 18" X 32" top mount with fold down doors with one to have fuel storage dividers
  - One pass through poly box on the front side of the tank to fill the space between tank and headache rack
- Hand tool mounts
  - Poly torch box
- Power tool mounts
  - Poly Chainsaw mount and leaf blower mount to be mounted in the pass-through box
- Poly Light mounts

Work lights to be mounted on all four corners of the tank

The unit is to have two pull out drawers made of poly built under the unit to hold tools and hose.

Tools to include

Spanner wrench set with hydrant wrench

Streamlight Vulcan Clutch, or equivalent with 120V/DC charger

Council Rake

Round shovel

Square shovel

Flathead Axe

Stihl BR 800 CE Magnum, or equivalent

Custom poly console to include radio, siren control, and flashlight.

A Kenwood NX5700K, or equivalent, radio

## Light package to include

Federal signal lights, or equivalent

1-Allegiant 53" light bar Red, white, blue, or equivalent

14-MPS 123U, or equivalent

4-icon series work truck lights 3.5" square, or equivalent

1-PF200-R with AS124 speaker, or equivalent

1- 21" icon utility LED light bar, or equivalent

2- Expansion modules

Add kill switch for all non-factory components

Add a battery maintainer

Add nerf bars

Add graphics to meet department standards,

see attached picture



