

Pittsburg County, Oklahoma
COUNTY PURCHASING OFFICE
 Pittsburg County Court House
 McAlester, Oklahoma
 Phone: (918) 423-4934

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED	24-Feb-25
PAGE 1 OF _____	

BID NUMBER BID # 13	BID CLOSING DATE AND HOUR March 7th, 2025 @ 4:00 PM	REQUIRED DELIVERY DATE Days after award of Purchase Order
-------------------------------	---	--

TERMS:	DATE OF DELIVERY:
--------	-------------------

Item	Quantity	Unit of issue	DESCRIPTION	Unit Price	Total
			<p>Pittsburg County Emergency Management wishes to advertise for the following:</p> <p style="text-align: center;">Swiftwater Equipment to be purchased through the American Rescue Plan Act, State-Local Fiscal Recovery Fund (ARPA-SLFRF), Emergency Response Capability and Impacts Grant Program, Grant Agreement for Grant # SLFRP4646</p> <p>SEE SPECIFICATIONS ATTACHED</p> <p><u>IF BID IS NOT RETURNED IN THE FEDEX, UPS OR USPS SHIPPING ENVELOPE, PLEASE MARK ON THE OUTSIDE OF THE ENVELOPE "SEALED BID" & BID NUMBER</u></p>		

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until delivered.

(DATE)

6.1291E+19

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day
of _____ 20_____ (seal)

Firm: _____

My commission expires _____ Signed by: _____ Title: _____

(MANUAL SIGNATURE OF UNDERSIGNED)

Address: _____ Phone: _____

NOTARY PUBLIC (CLERK OR JUDGE)

City: _____ State _____

Zip _____

NOTE: Other terms and conditions can be added at the discretion of the county officers.

RESOLUTION
25-222
To Advertise

The Board of County Commissioners, Pittsburg County, met in regular session on Monday, February 24, 2025.

WHEREAS, Pittsburg County Emergency Management wishes to advertise for the following:

Swiftwater Equipment

to be purchased through the American Rescue Plan Act, State-Local Fiscal Recovery Fund (ARPA-SLFRF), Emergency Response Capability and Impacts Grant Program, Grant Agreement for Grant# SLFRP4646

A bid package containing complete specifications and an "Invitation to Bid" are available at the Pittsburg County Clerk's Office, 115 E. Carl Albert Pkwy, Room 103, McAlester, Oklahoma 74501 or online at pittsburg.okcounties.org


THEREFORE, each competitive bid submitted to the County must be accompanied with an affidavit for filing with the competitive bid form, as required by Oklahoma Statute, Title 19 O.S. § 1501.

Sealed bids will be received and filed with the Pittsburg County Clerk until Friday, March 7, 2025 at 4:00 p.m. All bids received after 4:00 p.m. on Friday, March 7, 2025 WILL NOT BE OPENED. Bids will be opened on Monday, March 10, 2025 at 10:00 a.m. in the Board of County Commissioners Conference Room, 115 E. Carl Albert Pkwy, McAlester, Oklahoma. The Board of County Commissioners, Pittsburg County, reserves the right to reject any and all bids and re-advertise.

BOARD OF COUNTY COMMISSIONERS
PITTSBURG COUNTY, OKLAHOMA

ATTEST:


CHAIRMAN



VICE-CHAIRMAN



MEMBER



COUNTY CLERK



BID SPECIFICATIONS FOR SWIFTWATER RESCUE GEAR

BID CLOSING DATE: MARCH 7, 2025

ITEM DESCRIPTION	SIZE	COLOR	QUANTITY	PRICE/EACH	AMOUNT
NRS EXTREME DRYsuit, OR EQUIVALENT	LARGE	RED	4		
NRS EXTREME DRYsuit, OR EQUIVALENT	X-LARGE	RED	2		
NRS EXTREME DRYsuit, OF EQUIVALENT	XX-LARGE	RED	2		
NRS RAPID RESCUER	N/A	RED	8		
NRS HAVOC LIVERY HELMET, OR EQUIVALENT	N/A	BLUE	10		
NRS HAVOC LIVERY HELMET, OR EQUIVALENT	N/A	WHITE	10		
NRS HAVOC LIVERY HELMET, OR EQUIVALENT	N/A	RED	10		
NRS PILOT KNIFE, OR EQUIVALENT	N/A	RED	8		
NRS TACTICAL GLOVES, OR EQUIVALENT	LARGE	BLACK	10		
NRS TACTICAL GLOVES, OR EQUIVALENT	X-LARGE	BLACK	10		
PRINCETON TEC AQUA STROBE LED, OR EQUIVALENT	N/A	N/A	20		
FOX 40 SAFETY WHISTLE, OR EQUIVALENT	N/A	ORANGE	20		
NRS RESCUE DUFFLE BAG, OR EQUIVALENT	80L	RED	15		
NRS NFPA ROPE RESCUE THROW BAG, OR EQUIVALENT - 75'		ORANGE	20		
NRS SLIQ SCREW LOCK CARABINER, CE EN12275 CERTIFICATION		BLUE	40		
NRS Z-DRAW KIT, 1/2" HTP STATIC ROPE KIT, OR EQUIVALENT			8		
NRS CREW UNIVERSAL PFD FOR ADULT, OR EQUIVALENT	33"-58"	GREEN	15		
NRS CREW UNIVERSAL PFD FOR YOUTH, OR EQUIVALENT	24"-29"	RED	10		
NRS CREW UNIVERSAL PFD FOR CHILD, OR EQUIVALENT		GREEN	10		
MUSTANG ICE COMMANDER RESCUE SUIT, OR EQUIVALENT, BODY WEIGHT: 110-330 LBS, HEIGHT: 4'11"-6'7"			4		
NRS QUICK FILL KIT, INFLATION KIT FROM SCBA, OR EQUIVALENT			1		
NRS PICK-OF-LIFE ICE AWLS, OR EQUIVALENT			4		
CMC PRUSIK CORD, OR EQUIVALENT, 8MM RED MBS 14kN (3,147 lbf)			500		
FREIGHT/SHIPPING CHARGES					
TOTAL BID					

NRS EXTREME DRY SUIT, OR EQUIVALENT

SPECS

Weight:	3.4 lbs
Fit:	Relaxed fit
Material:	320-denier, 3 layer TriTon™
Material Type:	TriTon™
Entry Style:	Front-Entry
Waterproof:	Yes
Breathable:	Yes
Neck Gasket:	Latex
Neck Closure:	Latex gasket with adjustable hook-and-loop
Wrist Closure:	Latex Gasket with 3 mm neoprene overcuff
Waist System:	Buckle-closure waist belt
Ankle Closures:	Gathered elastic
Pockets:	1 - Cargo
Latex Neck Gasket:	Yes
Latex Wrist Gaskets:	Yes
Socks:	Fabric
Relief Zipper:	Yes
Reflective Detailing:	Yes
Gender Sizing:	Men
Features:	Hook-and-loop patches for attaching department badges SOLAS reflective tape Padding in the elbows and knees

NRS RAPID RESCUER, OR EQUIVALENT

SPECS

Weight:	3.3 lbs
	Rescue Life Jackets
Category:	Front-Zip Life Jackets High-Float Life Jackets
US Coast Guard Type:	V
Profile:	High
Design Flotation:	95N 22 lbs.
Outer Fabric:	400-denier ripstop nylon
Entry System:	Front zip
Pockets:	2 - Front
Lash Tabs:	3 - Front 4 - Side
Adjustment System:	2 - Shoulder 2 - Waist SOLAS reflective strips Quick-release harness Tether attachment point
Features:	Webbing loops for leg straps (sold separately) Placarding patches Universal Plus fit 32" - 56" chest US Coast Guard Certification

NRS HAVOC LIVERY HELMET, OR EQUIVALENT

Specs

Certification:	CE EN 1385
Weight:	1 lb
Shell Material:	ABS plastic
Liner Material:	Closed-cell EVA foam
Vented:	Yes
Adjustment:	DialFit adjustment
Ear Coverage:	No
Features:	6 ventilation/drain holes

NRS PILOT KNIFE, OR EQUIVALENT

Specs

Weight:	Total: 4.4 oz Knife: 3.65 oz Sheath: 0.75 oz
Blade Material:	420 HC Stainless Steel
Handle Material:	Glass-reinforced polypropylene w/rubber overlay
Sheath Material:	Glass-reinforced polypropylene w/rubber touch points
Total Length:	7.25"
Blade Length:	3.6"
Blade Edge:	Smooth and serrated
Blade Tip:	Blunt Tumble polish blade
Features:	Glass-reinforced polypropylene w/rubber overlay handle Jimping along blade edge Thumbs Up™ Sheath Oxygen valve wrench

NRS TACTICAL GLOVES, OR EQUIVALENT

Specs

Weight:	5 oz
Glove Use and Conditions:	Professional Series
Material:	2 mm neoprene
Seams:	Single needle with high tenacity thread
Taped Seams:	No
Palm Material:	Rubberized synthetic leather
Wrist Closure:	Adjustable hook-and-loop strap
Gender Sizing:	Unisex
Features:	Soft fleece panels on thumb and wrist Wrist pairing snaps

PRINCETON TEC AQUA STROBE LED, OR EQUIVALENT

Specs

Category:	Strobe
Dimensions:	5.5
Lumens:	100
Type of Bulb:	1 White Maxbright LED Strobe
Burn Time on Flash Mode:	12 hours
Type of Battery:	1 - AA alkaline
Weight (without batteries):	3 oz (86 g)
Batteries Included:	Yes
Includes:	Hook-and-Loop strap

FOX 40 SAFETY WHISTLE, OR EQUIVALENT

Product Details

The 3-chamber pealess design has no moving parts to freeze, jam or deteriorate.

Chambers are designed to self-clear when submerged in water.

Sound will be heard up to a mile away.

Specs

Dimensions:

2.25"L x .75"W

Includes:

Split ring

NRS RESCUE DUFFEL BAG, OR EQUIVALENT

Specs

Weight:	80L: 1.4 lbs
Filled & Rolled Dimensions:	28.5"L x 14.75"W x 14.75"H
Material:	420 denier ripstop nylon, power mesh (PVC free)
Closure System:	Zipper
	Detachable shoulder strap
	Mesh top panel
	SOLAS reflective accents
Features:	Zippered side pocket
	Hook & loop attachment for rescue placard
	Easy grab end handles
	Removable shoulder strap

NRS NFPA ROPE RESCUE THROW BAG, OR EQUIVALENT

Specs

Weight:	2.7 lbs.
Rope Length:	75'
Rope Material:	Grabline™ by Sterling
Rope Diameter:	3/8"
Load Max:	3282 lbs. (14.6 kN)
Features:	<ul style="list-style-type: none">NFPA 1983,2012 Certified ropeMesh topped bag for quicker dryingReflective tape on throw bagWebbing loop for glow stick

NRS SLIQ SCREW LOCK CARABINER, OR EQUIVALENT

Specs

Material:	Anodized aluminum alloy AL-7075 with stainless rivets and wires
Carabiner Strength Closed:	25 kN = 5625 lbs.
Strength Open:	9 kN = 2025 lbs.
Dimensions:	98 mm L x 60 mm W
Gate Opening:	17 mm
Weight:	54 g
Locking Mechanism:	Screw lock
Features:	Certified CE EN12275

NRS Z-DRAG KIT, OR EQUIVALENT

Specs

Weight:

7.8 lbs

Rope Options:

1/2" Sterling HTP Static Rope - 9081 pound strength

Includes:

150' of Rope

3 - Nuq Screw Lock Carabiners

2 - SMC 2" Swiftwater Pulleys

2 - 15' pieces of Red 1" Tubular Webbing

1 - 10' piece of Yellow 1" Tubular Webbing

2 - 6' pieces of 6 mm Prusik Cord (8 mm for Static Kit)

1 - NRS 40L Purest Mesh Duffel Bag

NRS CREW UNIVERSAL PFD, OR EQUIVALENT

Specs

Weight:	1.70 lbs.
Category:	Commercial Life Jackets Front-Zip Life Jackets
Performance Level:	Level 70
Design Flotation:	75N 16.7 lbs.
Outer Fabric:	200-denier nylon
Entry System:	Front zip
Adjustment System:	1 - Front 4 - Side
Features:	Universal Plus size fits >90 lbs, 33"-58" chest UL Certified, USCG and TC Approved Level 70 Bouyancy Aid

NRS CREW YOUTH PFD, OR EQUIVALENT

Specs

Weight:	1.26 lbs.
	Kids' Life Jackets
Category:	Commercial Life Jackets
	Front-Zip Life Jackets
Performance Level:	Level 70
Profile:	Medium
	50N
Design Flotation:	11.4 lbs.
Outer Fabric:	200-denier nylon
Entry System:	Front zip
	1 - Front
Adjustment System:	4 - Side
Features:	Fits youth 55-88 lbs, 24"-29" chest UL Certified, USCG and TC Approved Level 70 Bouyancy Aid

NRS CREW CHILD PFD, OR EQUIVALENT

Specs

Weight:	1.04 lbs.
Category:	Kids' Life Jackets Commercial Life Jackets Front-Zip Life Jackets
<u>Performance Level:</u>	Level 70
<u>Profile:</u>	Medium
Design Flotation:	33N 7.4 lbs.
Outer Fabric:	200-denier nylon
Entry System:	Front zip
Adjustment System:	1 - Front 4 - Side
Features:	Fits youth 33-55 lbs, 22-25" chest Adjustable leg strap UL Certified, USCG and TC Approved Level 70 Bouyancy Aid

MUSTANG ICE COMMANDER RESCUE SUIT, OR EQUIVALENT

SPECS

Material:	Urethane coated nylon outer shell Detachable inner Mustang AirSoft™ buoyancy/insulation 2.5mm neoprene on knees Seat and elbows reinforced with yellow shell
Weight:	12.2 lbs.
Entry Style:	Front-Entry
Waterproof:	Yes
Breathable:	No
Pockets:	2 - Sleeve
Reflective Detailing:	Yes
Gender Sizing:	Unisex
Features:	Heavy duty full-length flexible zipper Watertight hood Redesigned integral self-adjusting safety harness Durable rubber soles Adjustable ankle straps Compact storage 5 fingered abrasion resistant gloves 32 pound buoyancy rating

NRS QUICK FILL KIT, OR EQUIVALENT

Specs

Fittings Material:	Stainless Steel and Aluminum
Weight:	SCBA: 1.8 lbs
Hose Length:	8'
Hose Diameter:	1/4"
Hose Capacity:	5000 psi / 345 bar hose
Valve Type:	Pressure-fit Leaffield Adapter Hose
Includes:	Valve Adapter Tank fitting

NRS PICK-OF-LIFE ICE AWLS, OR EQUIVALENT

Specs

Dimensions:

5 1/4' cord

4" handles

1" picks

Features:

Auto retracting pick sheaths

Reflective ticking in cord

CMC PRUSIK CORD, OR EQUIVALENT

Specs

Dimensions:

8mm

Features:

Red

MBS 14 kN (3,147 lbf)