

Pittsburg County, Oklahoma
COUNTY PURCHASING OFFICE
Pittsburg County Court House
McAlester, Oklahoma
Phone: (918) 423-4934

INVITATION TO BID

PLEASE REVIEW TERMS AND CONDITIONS ON REVERSE
SIDE RELATING TO SUBMISSION OF THIS BID.

Notarized Affidavit completions and signature required on reverse side.

DATE ISSUED

14-Sep-26

PAGE 1 OF _____

BID NUMBER BID #4	BID CLOSING DATE AND HOUR September 25th, 2026 @ 4:00PM	REQUIRED DELIVERY DATE Days after award of Purchase Order
TERMS:		DATE OF DELIVERY:

Item	Quantity	Unit of issue	DESCRIPTION	Unit Price	Total
			Pittsburg County Highway District 1, wishes to advertise for the following: One(1) 2025 or newer Asphalt Paver, Lease Purchase with Financing Included SEE SPECIFICATIONS ATTACHED <u>IF BID IS NOT RETURNED IN THE FEDEX, UPS OR USPS SHIPPING ENVELOPE, PLEASE MARK ON THE OUTSIDE OF THE ENVELOPE "SEALED BID" & BID NUMBER</u>		

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
8. Bids will be firm until delivered.

(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

Subscribed and sworn before this _____ day
of _____ 20_____ (seal)

Firm: _____

My commission expires _____ Signed by: _____ Title: _____

(MANUAL SIGNATURE OF UNDERSIGNED)

NOTARY PUBLIC (CLERK OR JUDGE)

Address: _____ Phone: _____

City: _____ State _____

Zip _____

NOTE: Other terms and conditions can be added at the discretion of the county officers.

RESOLUTION
27-068

The Board of County Commissioners of Pittsburg County, Oklahoma, met in regular session on Monday, September 14, 2026.

WHEREAS, Pittsburg County Highway District 1, wishes to advertise for the following:

One (1) 2025 or newer Asphalt Paver, Lease Purchase with Financing Included

A bid package containing complete specifications and an "Invitation to Bid" are available at the Pittsburg County Clerk's Office, 115 E. Carl Albert Pkwy, Room 103, McAlester, Oklahoma 74501 or online at pittsburg.okcounties.org

THEREFORE, each competitive bid submitted to the County must be accompanied with an affidavit for filing with the competitive bid form, as required by Oklahoma Statute, Title 19 O.S. § 1501.

Sealed bids will be received and filed with the Pittsburg County Clerk until Friday, September 25, 2026 at 4:00 p.m. All bids received after 4:00 p.m. on Friday, September 25, 2026 WILL NOT BE OPENED. Bids will be opened on Monday, September 28, 2026 at 10:00 a.m. in the Board of County Commissioners Conference Room, 115 E. Carl Albert Pkwy., McAlester, Oklahoma. The Board of County Commissioners of Pittsburg County reserves the right to reject any and all bids and re-advertise.

BOARD OF COUNTY COMMISSIONERS
PITTSBURG COUNTY, OKLAHOMA

ATTEST:



CHAIRMAN

Ron [Signature]

VICE-CHAIRMAN

Mike [Signature]

MEMBER

Carl [Signature]

Bob Trammell

COUNTY CLERK

Product Specifications

**One (1) 2025 or newer Asphalt Paver,
Lease Purchase with Financing Included**

1. Dimensions

- a. Length: 15' 3"
14' 3" transport
- b. Width: 8' 6" transport
10' hopper wings down
- c. Height: 6' 9" low deck
6' 10" high deck
- d. Total Weight (with HD screed): 21,920 lbs.
22,620 lbs. (with HD Pro Screed or equivalent)

2. Engine:

- a. Kubota turbocharged diesel or equivalent
- b. Tier 4 Final - 125 HP (93 kW) @ 2,200 rpm
- c. Remote mounted DOC + DPF + SCR

3. Capacities:

- a. Fuel: 32 gallons
- b. Hydraulic: 25 gallons
- c. Washdown tank: 7 gallons
- d. DEF tank: 5 gallons

4. Hopper:

- a. Hopper size: 9 ton
- b. Hopper height: 31.75"
- c. Hopper wings: Heavy-duty .5" with large radius corners
- d. Rear hopper wing wipers

5. Paving Widths:

- a. Machine has variable paving widths up to 15' (HD)
- b. Machine has variable paving widths up to 15' 6" (with HD Pro Screed or equivalent)

6. Paving Depths:

- a. Electronically operated hydraulic tow point cylinders with toggle switches allow operation of grade from the high and low deck positions
- b. Includes manual flight screws positioned on the screed
- c. Depth: 0 to 6"

7. Available Screed:

- a. Legend HD Screed or equivalent: Variable up to 15', weight 3,450 lbs
- b. Legend HD Pro Screed or equivalent: Variable up to 15' 6", weight 4,150 lbs

8. Under Auger Material Cutoff:

- a. Two independent hydraulically operated 4' wide gates located under the augers and constructed of at least .25" A-36 plate steel
- b. Operational from the main control panel or screed controls.

9. Material Augers:

- a. Two independent, hydraulically driven, segmented augers. Operated automatically or manually
- b. Proportionally adjustable from 0-173 rpm
- c. Augers are 12" diameter and are cast from .625" SAE 4140 heat-treated steel
- d. System has manual override functions and automatic functions are controlled by sonic sensors (non-contacting)
- e. Quick change auger assemblies
- f. Single point lube system

10. Conveyors

- a. Two independent, hydraulically driven conveyors with automatic shut-off
- b. Dual 20.5" feeding conveyors
- c. Highway class HD conveyor chains and flight bars
- d. Quad bearings, front and rear conveyor
- e. System has manual override functions and automatic functions are controlled by a paddle and proximity sensor.

11. Operators Platform

- a. Includes both right and left hand seats 4' 6" above ground with a lockable cover for the instrument panel

12. Operators Controls:

- a. High deck/low deck configuration
- b. Includes dual electronic steer
- c. All control switches are located in one box that can be slid to each side. Dash panel includes augers, screed extension, cut-offs, hopper wings, conveyors, grade controls, and lights
- d. Color graphic control screen with digital readouts. Review and monitor system vitals including: oil pressure, hour meter, fuel gauge, voltmeter, water temp, tachometer, hydraulic oil temp, engine diagnostics

13. Screed Controls:

- a. Screed control boxes are on each side and contain extension, cutoff, auger, tow, horn, e-stop, slope, and berm

14. Steering:

- a. Dual electronic steering controls
- b. Machine can be controlled from a high deck position or lowered to control at the screed
- c. Electronically controlled pumps operate the forward/reverse motion from dual joysticks

15. Washdown System:

- a. Electric HD pump with two 25' x .375" diameter hose reels and spray nozzles
- b. Built in pressure sensor and shutoff
- c. Citrus tank sight gauge

16. Hydraulic System:

- a. Variable volume hydraulic pumps for each drive
- b. Independent constant volume pumps for augers, conveyors, cylinders, and charge
- c. Hydraulic oil: all weather, all temperature
- d. Dual 77,000 BTU oil coolers

17. Push Rollers:

- a. Two 3.5" diameter rollers with sealed bearings mounted on a swivel frame
- b. Vertically adjustable push rollers, 7" of height adjustment
- c. Adjustable height push rollers with self-cleaning scrapers

18. Track Drive System:

- a. Hydrostatically powered, self-cleaning crawler type tracks consisting of drive sprocket, seven rollers (five oscillating) and hydraulically adjustable front idler
- b. Drive mechanism is torque hub driven which consist of two speeds and obtained by means of a toggle switch
- c. Fail safe brakes
- d. Track size: 14" wide x 94" overall, Poly pad tracks 72" ground contact
- e. Paving speed: 0 to 164 fpm (1.84 mph)
- f. Travel speed: 0 to 316 fpm (3.59 mph)

19. Additional Standard Equipment:

- a. Back-up alarm
- b. LED beacon light
- c. LED work light package
- d. Automatic screed temperature control
- e. Heated end gates
- f. Vandalism protection cover
- g. Horn
- h. Two seats

20. Optional Equipment:

- a. Legend HD PRO Screed, Weight 4,150
- b. Lower drive control mount
- c. Truck hitch
- d. Steering wheel drive controls, in lieu of joysticks
- e. Wiring only, grade controls (TopCon)
- f. Dual grade control (TopCon)
- g. Dual grade and slope (TopCon)
- h. Other options available

21. Training, Support and Company:

- a. Training and support manuals
- b. Optional on-site operator training by Dealer
- c. Two-year, unlimited hours warranty against any manufacturer defects
- d. Extended warranty available
- e. 60+ years manufacturing experience

- f. ISO 9001 Certified
- g. Sourcewell Contract #060122-VTL
- h. Manufactured in USA