Pittsburg County, Oklahoma COUNTY PURCHASING OFFICE

Pittsburg County Court House McAlester, Oklahoma Phone: (918) 423-4934

INVITATION TO BID

| SIDE REI | ATING TO S | UBMISSIO | DATE ISSUED SSION OF THIS BID. 18-Nov-24 Eignature required on reverse side. DATE ISSUED 18-Nov-24 | | |
|------------------|------------|---------------|---|--|-------|
| BID NUMBER BID C | | | BID CLOSING DATE AND HOUR December 6th, 2024 @ 4:00PM | REQUIRED DELIVERY DATE Days after award of Purchase Order | |
| TERMS: | | | | DATE OF DELIVERY: | |
| Item | Quantity | Unit of issue | DESCRIPTION | Unit Price | Total |
| | | | Please do not bid on any item that is not on the specifications furnished to you. If you would like to bid on an item that you did not receive specifications for please call (918)423-4934. Please use the enclosed bid sheet forms to place your bid on. Failure to record your bid on the furnished bid sheet may result in the disqualification of your bid. Please return your bid in the enclosed envelope. Please only one bid per envelope. SEE SPECIFICATIONS ATTACHED IF BID IS NOT RETURNED IN THE ENCLOSED ENVELOPE OR IS PLACED IN A FEDEX, UPS OR USPS SHIPPING ENVELOPE, PLEASE MARK ON THE OUTSIDE OF THE ENVELOPE "SEALED BID" & BID NUMBER. | | |

TERMS AND CONDITIONS

- Sealed bids will be opened in the Commissioner's Conference Room, Pittsburg County Courthouse, McAlester, Oklahoma, at the time and date shown on the invitation to bid form.
- 2. Late bids will not be considered. Bids must be received in sealed envelopes (one to an envelope) with bid number and closing date written on the outside of the envelope.
- 3. Unit prices will be guaranteed correct by the bidder.
- 4. Firm prices will be F.O.B. destination.
- 5. Purchases by Pittsburg County, Oklahoma, are not subject to state or federal taxes.
- 6. This bid is submitted as a legal offer and any bid when accepted by the County constitutes a firm contract.
- 7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. A form is supplied below.
- 8. Bids will be firm until June 30, 2025.

(DATE)

AFFIDAVIT: I, the undersigned, of lawful age, being first duly sworn on oath say that he (she) is the agent authorized by the bidder to submit the above bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any state official or employee as to quantity; quality or price in the prospective contract or any other terms of said prospective contract; or in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract; that the bidder/contractor has not paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma (or other entity) any money or other thing of value, either directly or indirectly in the procuring of the award of a contract pursuant to this bid.

| | sworn before this | 583 988 | | |
|------------|-----------------------|----------|--------|--|
| | | Firm: | | |
| My commis | sion expires | | Title: | |
| | | Address: | Phone: | |
| NOTARY PUE | BLIC (CLERK OR JUDGE) | City: | State | |
| | | | Zin | |

RESOLUTION #25-141 TO ADVERTISE FOR SIX MONTH BIDS

The Board of County Commissioners, Pittsburg County, met in regular session on November 18, 2024.

WHEREAS, Pittsburg County wishes to advertise for the following materials for six-month bids:

CRUSHED STONE
ASPHALT SAND
MANUFACTURED SAND
ROAD OILS
NEW & USED STEEL
USED STEEL PIPE
PLASTIC PIPE
GRADER BLADES
TIRES (NEW, MAJOR BRANDS ONLY) & TIRE SERVICES
HAULING

A bid package containing complete specifications and an "Invitation to Bid" with an affidavit of non-collusion may be picked up at the County Clerk's Office, Pittsburg County Courthouse, 115 E. Carl Albert Parkway, Room 103, McAlester, OK 74501. All bids must state price of the aforesaid materials and said materials must be delivered in quantities ordered when and as needed by the Board of County Commissioners, within a six-month period, beginning January 1, 2025 and ending June 30, 2025. Each competitive bid submitted to the county must be accompanied with an affidavit for filing with competitive bid form, as required by 19 O.S. § 1501(3). No bid will be considered unless submitted on this form with affidavit completed and notarized. Place you bids in an envelope and mark it "Six Month Bids".

Sealed bids will be received by the Pittsburg County Clerk until 4:00 p.m. Friday, December 6, 2024. Bids received after 4:00 p.m. on Friday, December 6, 2024 WILL NOT BE OPENED. Bids will be opened on Monday, December 9, 2024 at 10:00 a.m. in the Board of County Commissioners Conference Room, Pittsburg County Courthouse, 115 E. Carl Albert Pkwy, McAlester, OK 74501. Contract will be awarded to the lowest or best bidder. The Board of County Commissioners, Pittsburg County, reserves the right to reject any and all bids and readvertise.

BOARD OF COUNTY COMMISSIONERS PITTSBURG COUNTY, OKLAHOMA

ATTEST:

'ICE-CHAIRMAN .

MEMBER

COUNTY CLERK

CRUSHED STONE

BID PRICE FOR PITTSBURG COUNTY VENDOR:

4" ODOT FILTER BLANKET

MUST MEET STATE SPECIFICATIONS

BID PRICE PER TON CRUSHED STONE #4 SCREENINGS 3/8" #2 COVER CHIPS 3/8" NON SPEC CHIPS 3/8" P.U.C.M. 5/8" #3 COVER CHIPS 5/8" #3-C COVER CHIPS 5/8" NON SPEC CHIPS 3/4" #1 COVER CHIPS 3/4" NON SPEC CHIPS 1" TBSC TYPE A 1" #67 1" #57 1 1/2" #57 1 1/2" MILL RUN 1 1/2" ODOT BASE TYPE A 1 1/2" ODOT BASE TYPE B 2" MILL RUN #11 2" CLEAN ROCK

| CRUSHED STONE | BID PRICE PER TON |
|--|---------------------------------------|
| 6" ODOT FILTER BLANKET | |
| 4" FILTER STONE | |
| 1" CRUSHER RUN | |
| 1 1/2" CRUSHER RUN | |
| 2 1/2" CRUSHER RUN | |
| 4" TO 1 1/2" SPECIAL GRIZZLY | |
| 3" SURGE | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| 8" SURGE | |
| SHOT DOWN ROCK | |
| 6" TO 8" RIP RAP | |
| 12" SELECT RIP RAP | |
| 18" SELECT RIP RAP | |
| 24" SELECT RIP RAP | |
| 30" SELECT RIP RAP | |
| QUARRY RUN RIP RAP | |
| DECOMPOSED SCREENED GRANITE | |
| OILFIELD ROCK (1"-1 1/2" CRUSHED DECOMPOSED GRANITE) | |

IF ITEMS DO NOT MEET SPECIFICATIONS

THEY WILL BE REJECTED

ASPHALT SAND

BID PRICE FOR PITTSBURG COUNTY VENDOR:

| MUST | MEET | STATE | SPECIF | ICATIONS |
|-------|-------|-------|--------|-----------------|
| NIUSI | IVIEL | SIAIL | SELUII | ICATION |

CLASS "A" SAND

BID PRICE PER TON

CLASS "A" SAND

| MANUFACTURED SAND BID PRICE FOR PITTSBURG COUNTY VENDOR: | |
|--|-------------------|
| MANUFACTURED SAND | BID PRICE PER TON |
| MANUFACTURED SAND | |

ROAD OILS

| PRODUCT | PRICE PER GALLON |
|--------------------------------|------------------|
| CRS+2 | |
| CRS-2S | |
| SS-1 | |
| CRS-2 | |
| MC-30 | |
| MC-3000 | |
| AEP | |
| PG 64-22 OK ASPHALT BINDER | |
| AC-20 ASPHALT BINDER | |
| PG 64-22 PROLINE OR EQUIVALENT | |
| PUMP CHARGE | |
| DEMURRAGE | |
| MINIMUM LOAD CHARGE | |

PRODUCTS MUST MEET STATE SPECIFICATIONS.

IF ITEM DOES NOT MEET THE SPECIFICATIONS, IT WILL BE REJECTED.

NEW & USED STEEL

BID PRICE FOR PITTSBURG COUNTY

| VENDOR: | |
|---------|--|
| | |

| | | NEW | USED |
|---------------|----|----------|------|
| 1/2 TANK CAR | FT | <u> </u> | |
| FULL TANK CAR | FT | | |

^{* 3/8&}quot; FLAT PLATE ON BOTTOM

USED STEEL PIPE

BID PRICE FOR PITTSBURG COUNTY

| VENDOR | |
|---------------|--|
| | |

| SIZE | PRICE PER FOOT |
|--------------|----------------|
| 12" | |
| 16" | |
| 18" | |
| 20" | |
| 22" | |
| 24" | |
| 26" | |
| 30" | |
| 34" | |
| 36" | |
| 42" | |
| 48" | |
| 54" | |
| 60" | |
| 7' | |
| 8' | |
| 8 1/2' | |
| 9' | |
| 9 1/2' | |
| 10' | |
| | |
| DRILL TUBING | |
| 2 3/8" | |
| 2 7/8" | |
| | |

PLASTIC PIPE PRICE PER FOOT

| | GREY |
|------|------|
| 12" | |
| 15" | |
| 18" | |
| 21" | |
| 24" | |
| 30" | |
| 36" | |
| 42" | |
| 48'' | |
| 60" | |

GRADER BLADES

| GRADER BLADES 5/8" BOLT HOLE | |
|------------------------------|---------|
| 5/8" X 6" X 7' | <u></u> |
| 5/8" X 8" X 7' (HIGH CARBON) | |
| 3/4" X 8" X 7' (HIGH CARBON) | |
| 3/4" X 8" X 7' (NON CARBON) | |
| WITH 6" CENTERS | |
| | |
| GRADER BLADES 3/4" BOLT HOLE | |
| 5/8" X 6" X 7' | |
| 5/8" X 8" X 7' (HIGH CARBON) | |
| 3/4" X 8" X 7' (HIGH CARBON) | |
| 2/4" V O" V 7 (NON CADDON) | |
| 3/4" X 8" X 7' (NON CARBON) | |

WITH 6" CENTERS

| | RADIALS | | | PRICE PER TIRE | | | | TIRE SERVICE | | | |
|--------------|---------------------------------|-----------|---------|----------------|----------|------------|---|--------------|-------------|---------|-------------|
| SIZE | PLY, LOAD RANGE OR TIRE TYPE | WASTE FEE | HIGHWAY | ALL TERRAIN | LUG TYPE | MUD & SNOW | BRAND | MOUNT | TIRE CHANGE | BALANCE | FLAT REPAIR |
| | | | | | | | | | | | |
| 9Rx22.5 | 12 PLY | | | | No. | | | | | | |
| 10Rx22.5 | 12 PLY | | | | | | | | | | |
| 11Rx22.5 | 14 PLY | | | | | | | | | | |
| 11Rx24.5 | 14 PLY | | | | | | | | | | |
| 17.5Rx25 | | | | | | | ======================================= | | | - | |
| 750Rx16 | 14 PLY, TRAILER | | | | | | | | | | |
| 900Rx20 | | | | | | | | | | | |
| 1000Rx20 | | | | | | | | | | | |
| 1400Rx24 | *ONE | | | | | | | | | | |
| ST205 75Rx15 | 8 PLY, TRAILER | | | | | | | | | | |
| 215 60Rx16 | | | | | | | | | | | |
| 215 75Rx17.5 | 16 PLY | | | | | | | | | | |
| 215 85Rx16 | 10 PLY | | | | | e in | | | | | |
| 225 60VRx16 | 4VR, POLICE | | | | | | | | | | |
| 225 60VRx18 | 4VR, POLICE | | | | | | | | | | |
| 225 65Rx17 | 8 PLY | | | | | | | | | | |
| 225 70Rx19.5 | 12 PLY | | | | | | | | | | |
| ST225 75Rx15 | 10 PLY, TRAILER | | | | | | | | | | |
| 225 75Rx16 | 8 PLY | | | | | | | | | | |

| | RADIALS | | | PRICE PER TIRE | | | | | TIRE SI | ERVICE | |
|--------------|---------------------------------|-----------|---------|----------------|----------|------------|-------|-------|-------------|---------|-------------|
| SIZE | PLY, LOAD RANGE OR TIRE TYPE | WASTE FEE | HIGHWAY | ALL TERRAIN | LUG TYPE | MUD & SNOW | BRAND | MOUNT | TIRE CHANGE | BALANCE | FLAT REPAIR |
| 225 75Rx17 | 10 PLY | | | | | | | | | | |
| LT225 75Rx17 | 10 PLY | | | | | | | | | | |
| 235 50Rx18 | 4VR, POLICE | | | | | | | | | | |
| 235 55Rx17 | 4 PLY, STEEL | | | | | | | | | | |
| 235 70Rx16 | 10 PLY, STEEL | | | | | | | | | | |
| 235 75Rx15 | 6 PLY | | | | | | | | | | |
| LT235 75Rx15 | 6 PLY | | | | | | | | | | |
| P235 75Rx15 | 4 PLY, STEEL | | | | | | | | | | |
| 235 75Rx17 | 10 PLY | | | | | | | | | | |
| 235 80Rx16 | 8 PLY, TRAILER | | | | | | | | | | |
| 235 80Rx17 | 10 PLY | | | | | | | | | | |
| 235 80Rx17 | 14 PLY | | | | | | | | | | |
| 235 80Rx18 | 4VR | | | | | | | | | | |
| 235 85Rx16 | 10 PLY, HD CUT/CHIP | | | | | | | | | | |
| 235 85Rx16 | 10 PLY, MAX TRACTION | | | | | | | | | | |
| 245 55Rx18 | 4 PLY, STEEL | | | | | | | | | | |
| 245 60Rx18 | 4 PLY, STEEL | | | | | | | | | , | |
| 245 70Rx17 | 10 PLY | | | | | | | | | | |
| 245 70Rx17 | 10 PLY, MAX TRACTION | | | | | | | | | | |
| 245 75Rx16 | 10 PLY | | | | | | | | | | |

| RAD | DIALS | | | PRICE PER TIRE | | | | | TIRE SI | ERVICE | |
|---------------------|---------------------------------|--|---------|----------------|----------|------------|-------|-------|-------------|---------|-------------|
| SIZE | PLY, LOAD RANGE OR TIRE TYPE | WASTE FEE | HIGHWAY | ALL TERRAIN | LUG TYPE | MUD & SNOW | BRAND | MOUNT | TIRE CHANGE | BALANCE | FLAT REPAIR |
| 245 75Rx16 | 10 PLY, MAX TRACTION | | _ | | | | | | | | |
| 245 75Rx17 | 10 PLY | | | | | | | | | | |
| 245 75Rx17 | 10 PLY, MAX TRACTION | | | | | | | | | | |
| 255 70Rx22.5 | 16 PLY | | | | | | | | | | |
| 265 60VRx17 | 4 VR, POLICE | | | | | | | | | | |
| P265 65Rx18 | 4 PLY | | | | | | | | | | |
| 265 70Rx17 | 10 PLY | | | | | | | | | | |
| 265 70Rx17 | 10 PLY, MAX TRACTION | | | | | | | | | | |
| P265 70Rx17 | 4 PLY | | | | | | | | | | |
| 265 75Rx16 | 10 PLY | | | | | | | | | | |
| 265 75Rx16 | 10 PLY, MAX TRACTION | | | | | | | | | | |
| 275 65Rx18 | 10 PLY | | | | | | | | | | |
| 275 70Rx18 | 10 PLY | | | | | | | | | | |
| 280 85R24 R1 TREAD | 8 PLY, TRACTOR | | | | | | | | | | |
| 285 70Rx17 | 8 PLY, MAX TRACTION | | | | | | | | | | |
| 285 75Rx16 | 10 PLY | le de la constant de | | | | | | | | | |
| 285 75Rx16 | 10 PLY, MAX TRACTION | | | | | | | | | | |
| 285 75Rx24.5 | 14 PLY | | | | | | | | | | |
| 295 75Rx22.5 | 14 PLY | | | | | | | | | | |
| 315 80Rx22.5 | 18 PLY | | | | | | | | | | |
| 340 85Rx24 R1 TREAD | 8 PLY, TRACTOR | | | | | | | | | | |

| RAI | DIALS | | PRICE PER TIRE | | | | | | TIRE SI | RVICE | |
|---------------------|---------------------------------|-----------|----------------|-------------|----------|------------|-------|-------|-------------|---------|-------------|
| SIZE | PLY, LOAD RANGE OR TIRE TYPE | WASTE FEE | HIGHWAY | ALL TERRAIN | LUG TYPE | MUD & SNOW | BRAND | MOUNT | TIRE CHANGE | BALANCE | FLAT REPAIR |
| 380 85Rx24 R1 TREAD | 8 PLY, TRACTOR | | | | | | | | | | |
| 460 85Rx34 R1 TREAD | 8 PLY, TRACTOR | | | | | | | | | | |
| 480 85Rx34 R1 TREAD | 8 PLY, TRACTOR | | | | | | | | | | |

| BIAS | TIRES | | | PRICE PER TIRE | | | | | TIRE SI | ERVICE | |
|-------------------|---------------------------------|-----------|---------|----------------|----------|------------|-------|-------|-------------|---------|-------------|
| SIZE | PLY, LOAD RANGE OR TIRE TYPE | WASTE FEE | HIGHWAY | ALL TERRAIN | LUG TYPE | MUD & SNOW | BRAND | MOUNT | TIRE CHANGE | BALANCE | FLAT REPAIR |
| 11Lx15 F3 TREAD | 8 PLY, INDUSTRIAL | | | | | | | | | | |
| 11LX16 F3 TREAD | 10 PLY, INDUSTRIAL | | | | | | | | | | |
| 12.4x24 | R1 TREAD | | | | | | | | | | |
| 12.5/80x18 | R4 TREAD, BACKHOE | | | | | | | | | | |
| 12x16 | R4 TREAD, SKID STEER | | | | | | | | | | |
| 12x16.5 NHS TREAD | 12 PLY | | | | | | | | | | |
| 13.6x24 R1 TREAD | 8 PLY, TRACTOR | | | | | | | | | | |
| 13.6x28 R1 TREAD | 6 PLY, FARM TUBE | | | | | | | | | | |
| 14x17.5 NHS TREAD | 8 PLY | | | | | | I I | | | | |
| 16.9x34 R1 TREAD | 6 PLY, FARM TUBE | | | | | 421 | | | | | |
| 17.5x24 R4 TREAD | 8 PLY, INDUSTRIAL | | | | | | | | | | |
| 17.5x25 G2 | 12 PLY | | | | | | | | | | |
| 17.5x25 RL TREAD | 12 PLY, ROCKLUG | | | | | | | | | | |

| BIA | S TIRES | | | PRICE PER TIRE | | | | | TIRE SI | RVICE | |
|------------------|---------------------------------|-----------|---------|----------------|----------|------------|----------|-------|-------------|---------|-------------|
| SIZE | PLY, LOAD RANGE OR TIRE TYPE | WASTE FEE | HIGHWAY | ALL TERRAIN | LUG TYPE | MUD & SNOW | BRAND | MOUNT | TIRE CHANGE | BALANCE | FLAT REPAIR |
| 18.4x30 R1 TREAD | 6 PLY, FARM TUBE | | | | | | | | | | |
| 18.4x34 R1 TREAD | 6 PLY, FARM TUBE | | | | | | | | | | |
| 18.4x38 R1 TREAD | 6 PLY, FARM TUBE | | | | | | Na Carlo | | | | |
| 19.5x24 R4 TREAD | 12 PLY, INDUSTRIAL | | u1 | | | | F L | | | | |
| 20.5x25 L2 TREAD | | | | | | | | | | | |
| 20.5x25 G2 | 28 | | | | | | | | | | |
| 20.8x34 R1 TREAD | 8 PLY TRACTOR | | | | | | | | | | |
| 20.8x38 R1 TREAD | 6 PLY, FARM TUBE | | | | | | | | | | |
| 23.1x26 | 12 PLY, TURF TIRE | | | | | | | | | | |
| 25/1000x12 | 6 PLY, ATV | | | | | | | | | | |
| 25x11x12 | 6 PLY, UTV | | | | | | | | | | |
| 28x10x12 | 8 PLY, UTV | | | | | | | | | | |
| 750x16 | 6 PLY, TRIRIB | | | | | | | | | | |
| 900x20 | TUBE TYPE | | | | | | | | | | |
| 1000x16 | 8 PLY, TRIRIB | | | | | | | | | | |
| 1100x16 | 8 PLY, TRIRIB | 100 | | | | | | | | | |
| 1400x24 G2 TREAD | 12 PLY, PREMIUM | | | | | | | | | | |
| 1400x24 G2 TREAD | 12 PLY, ECONOMY | | | | | | | | | | |
| | | | | | | | | | | | |

| SERVICE CALLS | |
|---------------|--|
| BASE CHARGE | |
| AFTER HOURS | |
| PER MILE | |
| DELAY CHARGE | |

HAULING ROAD MATERIALS

BIDS WILL BE FOR HAULING OF ROAD MATERIALS BY 10 WHEELER, TRI-AXLE AND 18 WHEELER LOADS

| | 10 WHEELER | TRI-AXLE |
|-----------------|--------------------------|------------------------|
| PER LOADED MILE | | |
| 0-50 MILES | | |
| 51-70 MILES | | |
| 71-90 MILES | | |
| 91-100 MILES | | |
| OVER 100 | | |
| | 18 WHEELER BELLY DUMP | 18 WHEELER END DUMP |
| PER LOADED MILE | | |
| 0-25 MILES | | |
| 26-50 MILES | | |
| 51-70 MILES | <u> </u> | |
| 71-90 MILES | | |
| 91-100 MILES | | |
| OVER 100 | | |
| | TRUCK & PUP TRAIL | ER |
| PER LOADED MILE | | |
| 0-25 MILES | | |
| 26-50 MILES | | |
| 51-70 MILES | | |
| 71-90 MILES | | |
| 91-100 MILES | | |
| OVER 100 | | |